




MB1219 - Assembly Instructions Full Length Rocker Guards for Jeep YJ**MB1219 FULL LENGTH ROCKER GUARDS**

Compatible with 87-95 Jeep YJ


**ASSEMBLY INSTRUCTIONS**

MB1219 - Shipping Full Length Rocker Guards for Jeep YJ**CONTENTS**


MB1219-01
Qty 1




MB1219-02
Qty 1




5/16-18 x 1" Flat Head Screw
Qty 12




5/16" Flat Washer
Qty 12




5/16"-18 Nylon Insert Hex Locknut
Qty 12

MB1219-S - Shipping Full Length Rocker Guards for Jeep YJ**CONTENTS**


MB1219-S-01
Qty 1




MB1219-S-02
Qty 1




5/16-18 x 1" Flat Head Screw
Qty 12




5/16" Flat Washer
Qty 12




5/16"-18 Nylon Insert Hex Locknut
Qty 12

MB1219-FND - Shipping Full Length Rocker Guards for Jeep YJ**CONTENTS**


MB1219-FND-01
Qty 1




MB1219-FND-02
Qty 1




5/16-18 x 1" Flat Head Screw
Qty 12




5/16" Flat Washer
Qty 12




5/16"-18 Nylon Insert Hex Locknut
Qty 12

MB1219-FND-S - Shipping Full Length Rocker Guards for Jeep YJ**CONTENTS**


MB1219-FND-S-01
Qty 1




MB1219-FND-S-02
Qty 1



5/16-18 x 1" Flat Head Screw
Qty 12



5/16" Flat Washer
Qty 12



5/16"-18 Nylon Insert Hex Locknut
Qty 12



Preparation and Installation Guide

Compatibility: This product fits jeep YJs from 87 to 95. These rocker guards are designed to be bolted through the tub under the door seal to help protect the factory sheet metal. This product does require you to drill multiple holes in the tub of your jeep.

1. Prepare and Inspect: Unbox and inspect all components to ensure everything is included and free of damage.


2. Prep for Install: Begin by cleaning the area where the rocker will be mounted to. Place painters tape of similar on the tub to prevent scratching when installing and drilling.

3. Drilling: After drilling holes use desired paint on holes to prevent rusting.

Pro Tip: Use STEEL-IT paint, which can be welded through and easily touched up afterward.


MB1219 - Assembly Instructions Full Length Rocker Guards for Jeep YJ

SLIDE THE ROCKER GUARD BETWEEN THE TUB AND THE MIDDLE AND REAR BODY MOUNTS TOO ALIGN THE PART. ENSURE PART IS PARALLEL TO DOOR SEAL.




MB1219 - Assembly Instructions Full Length Rocker Guards for Jeep YJ

MARK ALL HOLES AND DRILL A 3/8" HOLE WITH ROCKER REMOVED.



**DRILLING THROUGH FACTORY OR AFTER
MARKET FENDER WILL BE REQUIRED.**

MB1219 - Assembly Instructions Full Length Rocker Guards for Jeep YJ



MB1219 - Assembly Instructions Full Length Rocker Guards for Jeep YJ