



MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT**MB1262 Tomahawk Bed Chop Rear Bumper for JT**

Compatible with 2019 - Current Jeep JT

**ASSEMBLY INSTRUCTIONS**

MB1262-Shipping


CONTENTS




Driver

MB1262-W05
Qty 1


Passenger




MB1262-W01
Qty 1




MB1262-W02
Qty 1




MB1262-W03
Qty 1




MB1262-W04
Qty 1




MB1262-W06
Qty 1



MB1262-02
Qty 1




MB1262-W07
Qty 1




MB1262-01
Qty 1

MB1262-Shipping


CONTENTS




M10-1.5 x 35mm Hex SZ
Qty 4




9/16" Flat Washer G8 YZ
Qty 4



#10-24 x 3/4" BHS-SS
Qty 4




5/16-18 x 1" FHS-SS
Qty 8




HCS 5/16-18 x.75 YZ8
Qty 4




5/16" Flat Washer G8 YZ
Qty 4




1/2-13 x 1" Hex G8 YZ
Qty 8




1/2" Flat Washer G8 YZ
Qty 8




1/4-20 x 3/4" BHS-SS
Qty 2



MB2145
Qty 4



MB2117-01
Qty 2



MB2117-01_90
Qty 2



Preparation and Installation Guide

Compatibility: This Jeep JT Bed chop bumper is made to work with the factory bed. This bumper also requires you to remove the factory receiver hitch but can be replaced with the MB1186 to keep ground clearance a top priority.

1. Bed Cutting: Cutting 5.125" of the rear corner of the bed will need to be cut in order to use this bumper.

2. Reverse Lights: The rear bumper mounted reverse light cut outs are designed to fit a Baja Designs S2.


3. Receiver Hitch: MB1186 will also need to be purchased in order to utilize a rear receiver hitch with this bumper

4. Rear Taillights: Before cutting the bed and installing the rear bumper removing the factory wiring for the taillights.

Pro Tip: Use STEEL-IT paint, which can be welded through and easily touched up afterward.


MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

CUT THE FACTORY BED AS SHOWN BELOW
(Pro Tip : Cut just below the shown height so that
you can grind right to the desired cut height.)




MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**IF MB1186 IS BEING USED SECURE THE
HITCH ASSEMBLY TO THE BOTTOM OF THE NEW FRAME MOUNTS**



MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

Install Baja Designs S2




Baja Designs S2 Not Included

Baja Designs Included Fasteners


MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**SECURE THE REAR PARKING SENSORS
TO BUMPER, IF YOUR JEEP DOES NOT HAVE PARKING SENSORS
US
MB2145 (PARKING SENSOR PLUG) IN ITS PLACE.**




MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**SECURE BUMPER TO THE NEW
REAR FRAME MOUNTS**



MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**SECURE BOTH DRIVER SIDE AND PASSENGER
CORNER SUPPORTS TO THE FRAME**



MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**SECURE THE SIDE WINGS TO THE FRAME SUPPORT
FOR BOTH DRIVER AND PASSENGER SIDE**

**MB1262-W01
(MB1262-W02 for Passenger Side)**


5/16-18 x 1" FHS-SS

MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**FULLY SECURE THE BUMPER WINGS
BY USING THE PROVIDED FASTENERS**


5/16-18 x 3/4" Hex G8 YZ

5/16" Flat Washer G8 YZ



MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

Once The Bumper Is Attached Reinstall The Trailer Plug Using The Trailer Plug Bracket.



1/4-20 x 3/4" BHS-SS

MB1262-02

Factory Trailer Plug

MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT

**If You Choose Not To Run A MB1186 Rear Hitch
Attach MB1262-28 Using Provided Fasteners**

5/16-18 x 1" FHS-SS

MB1262 - Assembly Instructions Tomahawk Bed Chop Rear Bumper for JT