






MB2193 - Assembly Instructions LP6 Headlight Bracket for JK/JKU**MB2193 - LP6 Headlight Bracket for JK/JKU**

Compatible with Year Model (2007-2018)

**ASSEMBLY INSTRUCTIONS**

MB2193 - Shipping LP6 Headlight Bracket for JK/JKU**CONTENTS****DRIVER****MB2193-01**
Qty 1**PASSENGER****MB2193-02**
Qty 1**1/4\"-20 x 3/4\" Gr. 8 NC Hex Cap Screw, YZ**
Qty 2**1/4\" Gr. 8 SAE Flatwasher, YZ**
Qty 4**1/4\"-20 Nylon Hex Nut**
Qty 2



Preparation and Installation Guide

Compatibility: These LP6 Headlight Brackets are designed to work with the Jeep JK/JKU.

Important Notice:

- **Semi-Permanent Modification:** Installing these brackets requires cutting the factory headlight bezel, which permanently alters the vehicle's original configuration.
- **Off-Road Use Only:** The LP6 headlight is intended for off-road use only. The DOT sets specifications for lights used on public roads, so please ensure your lights meet all applicable DOT specifications if you intend to use them on-road.
- **Liability Disclaimer:** Motobilt is not responsible for any modifications or uses of this product that do not comply with local laws or regulations. It is the user's responsibility to ensure all installations are performed in accordance with applicable laws.

1. Prepare and Inspect: Unbox and inspect all components to ensure everything is included and free of damage.

2. Install: Please note that installation requires cutting the factory headlight bezel, permanently changing the stock setup.


3. Wiring: For wiring, please refer to the detailed wiring instructions provided. Creating your own wiring harness should be done in accordance with local standards and best practices to ensure proper functionality.

Optional: Customers may choose to use a male H13 plug to assist in creating their wiring harness. Please note that the H13 plug is not included with this kit. To retain both high and low beam functions, use the LP6 with dual functions.


Pro Tip: Use STEEL-IT paint, which can be welded through and easily touched up afterward.

MB2193 - Assembly Instructions LP6 Headlight Bracket for JK/JKU

Trimming of Headlight Bezel



**Cut The Area Out Along The Lines Shown Above.
This Can Be Done On The Jeep. You Should Have Something
Close To The Below Bezel After Cutting.**



MB2193 - Assembly Instructions LP6 Headlight Bracket for JK/JKU

Use Factory And Provided Fasteners
To Secure The Mount To The Jeep

1/4" Drilled Hole

1/4" Gr. 8 SAE Flatwasher, YZ

1/4"-20 x 3/4" Gr. 8 NC Hex Cap Screw, YZ

MB2193-02

MB2193-02

Factory Bolt

1/4" Gr. 8 SAE Flatwasher, YZ


1/4"-20 Nylock


Factory Bolt

MB2193 - Assembly Instructions LP6 Headlight Bracket for JK/JKU

**INSTALL THE BAJA DESIGNS LP6 BRACKET
USING THEIR PROVIDED FASTENERS**

Not Included



MB2193 - Assembly Instructions LP6 Headlight Bracket for JK/JKU

Rotate bracket to allow fasteners on the side of light to be tightened.

MB2193 - Assembly Instructions LP6 Headlight Bracket for JK/JKU