






MB5548/MB5550 - Assembly Instructions Rear Door Map Pocket





MB5548 REAR DOOR MAP POCKET FOR JK MB5550 REAR DOOR MAP POCKET FOR JL / JT

MOTOMOUNT SERIES




ASSEMBLY INSTRUCTIONS

MB5548 - Shipping Rear Door Map Pocket**CONTENTS****MB5548-01****MB5548-02****#10-24 x 1" BHCS**
Qty 8**M6 Flat Washer**
Qty 8**#10-24 Nylon Insert Locknut**
Qty 8

MB5550 - Shipping Rear Door Map Pocket**CONTENTS****MB5550-01****MB5550-02****#10-24 x 1" BHCS
Qty 4****M6 Flat Washer
Qty 4****#10-24 Nylon Insert Locknut
Qty 4**

MB5548/MB5550 - Assembly Instructions Rear Door Map Pocket



Place Map Pocket On Door So It Is Even With The Plastic Edges And Mark The 4 Mounting Holes To Be Drilled With A 7/32 Drill Bit.

JL Owners Remove The Bottom Factory Screw And Use The Bottom Tab And Screw To Locate The Map Pocket To The Door And Mark The Top Two Holes to be Drilled

MB5548/MB5550 - Assembly Instructions Rear Door Map Pocket

**MB5548-01
MB5550-01**


M6 Flat Washer

#10-24 Nylon Insert Locknut

#10-24 x 1" BHCS

Using A Trim Panel Tool Open The Bottom Half Of The Door Plastic So That You Have Enough Space To Install And Tighten The Provided Fasteners

JL Owners You Will Only Install Provided Fasteners On The Top Two Holes And Use Factory Lower Screw To Secure Bottom.

MB5548/MB5550 - Assembly Instructions Rear Door Map Pocket

REPEAT FOR PASSENGER SIDE